

# Yealink UVC30

## Multi-purpose Ultra HD 4K for Small Room and Personal Use

### VARIOUS FIELDS OF VIEW SUPPORTED SMART FRAMING 4K USB CAMERA

Yealink UVC30 Desktop은 4K UHD 해상도와 3배 디지털 줌을 지원하는 USB 카메라로 개인용 웹캠과 소형회의실에도 활용할 수 있는 다목적 카메라입니다.

70° / 90° / 120°의 다양한 화각 지원은 개인용 표준 화각부터 소형회의실을 위한 광각까지 설정이 가능하여 여러 목적에 다재다능하게 활용할 수 있으며, UVC30을 마이크로소프트 팀즈 룸시스템 MVC와 구성 시 팀즈 미팅의 콘텐츠 카메라로서도 활용이 가능합니다. UVC30은 Windows Hello 인증 제품으로 내장된 적외선 센서와 얼굴인식 기능을 통해 윈도우 시스템의 보안 로그인을 할 수 있습니다. 모니터나 디스플레이에 손쉽게 즉석 장착이 가능한 UVC30은 표준 VESA홀이 있어 다양한 환경에 설치가 가능합니다. Yealink USB Connect/Room Connect 소프트웨어로 화각, 프리셋, 펌웨어 업데이트, 각종 카메라 설정을 할 수 있습니다.



## Multi-purpose Ultra HD 4K for Small Room and Personal Use

### Key Features and Benefits



#### Superb Image Quality



자연스러운 색 재현뿐만 아니라 부드러운 영상과 디테일로 최고 수준의 화질을 제공합니다. 또한 다양한 디스플레이와 애플리케이션에 적응하기 위해 4K/30FPS, 1080P/30FPS 및 720P/30FPS를 포함한 다양한 해상도를 지원합니다.

#### Adjustable Field of View



UVC30 Desktop은 다양한 사용자의 환경을 충족하기 위해 시야각 조정(70°/90°/120°)을 지원합니다.

#### Windows Hello Feature



Microsoft 인증을 받은 UVC30 Desktop은 Windows Hello 기능을 통해 로그인 보안을 강화할 수 있습니다.

#### HD Voice Quality




UVC30에 내장된 마이크는 최대 150°/2m의 음성을 픽업하며, 선명하고 깨끗한 최적의 사운드를 제공합니다.

#### Teams Content Camera




UVC30은 Yealink의 팀즈 룸시스템 MVC와 함께 구성 시 팀즈 미팅의 콘텐츠 카메라로서 활용이 가능합니다. (실제 화이트보드의 팀즈 미팅 구현 및 텍스트 오버레이 기능 제공)


### UVC30 Installation



Mount on top of a TV



Mount onto a TV Stand or a Tripod



Mount on a Wall

# UVC30 사양표

## Camera Features

- Lens & Image sensor: 1/2.5" CMOS, 8.51M pixel
- Field of view: 70°/90°/120°
- White Balance: ATW/Auto/Manual
- Aperture: F/2.4
- Effective Focus Length: f=2.22mm
- Shutter Speed: 1/60 ~ 1/10000 seconds
- Min. Illumination: 0.5 Lux (in daylight), 0.1 lux (at night)
- PTZ: ePTZ (3x Digital)
- Auto Framing
- Depth of View (meter): 0.5m~3m
- Infrared Camera
- Auto Exposure

## Video Features

- Video Output: 4K30, 1080p30, 720p30
- Maximum Resolution: 4K

## Certification

- Windows Hello Certified

## Audio Features

- Built-in Microphone
- Optimal voice pickup distance: 150°, 2m
- Frequent Response: 100Hz-12kHz
- Signal Noise Ratio (SNR): 63dB

## Physical Features

- USB Cable: 1 x 1.6m USB 3.0
- LED Indicator
- Dimensions: 59 mm x φ45 mm

## Security

- UVC Protocol: UVC 1.5/UVC1.0
- System Required: Windows 7, Windows10, MacOS 10.10 or higher

## Package Feature

- Giftbox size: 151 mm\*85 mm\*95 mm
- Qty/CTN: 20
- Carton Meas: 435 mm\*200mm\*312mm
- N.W/CTN: 4.790 kg
- G.W/CTN: 5.250 kg